

# classicPalette™

There's so much that's new with Palette. And so much that you already know.

Clean, elegant, and very, very powerful, classic Palette is a thoroughbred. With 150, 250 or 500 channels, two playbacks and 32 submasters, classicPalette will eat up complex shows, easily – elegantly.

There's even an entry-level classicPalette console, with 100 channels, 16 subs, and all the power of Palette.



## Features

- PaletteOS Windows XP Embedded operating system
- High-resolution Graphical User Interface with Mouse
- Up to 2000 cues per show
- Hard disk cue storage
- USB Key Library storage
- Strand ShowNet standard on all systems with 3072 DMX outputs
- Automated lighting control with fixture library
- DMX In/Out
- Up to 12 part cues
- 12 effects playbacks
- Tracking or whole cue operation
- DMX in macros
- Wired and wireless focus remote options
- Windows Off-line Editor
- Dual memory playbacks
- Standard memory desks feature 32 Submasters with 10 pages of sub assignments

## SPECIFICATION SUBMITTAL

CONSULTANT <input type="text"/>	PROJECT NAME: <input type="text"/>	MODEL NUMBER   QUANTITY: <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
DATE: <input type="text"/>	PROJECT NUMBER: <input type="text"/>	APPROVED BY: <input type="text"/>

Strand Control Systems

Introduction

Strand's new Palette consoles build on the most successful lighting control operating system to bring you PaletteOS™, a high-resolution point/click graphic environment to unleash your creativity and speed up workflow. PaletteOS harnesses the power of Windows Embedded XP to create a powerful windows off line editor.



Palette is powerful – with up to 500 channels and amazing automatic focus group controls that will slash your programming time. Palette has a powerful web browser that lets you configure and monitor your network and interact directly with Strand's award-winning C21 dimming systems. Right there on the console screen.

And Palette is an elegant and highly functional lighting console, leveraging industry-standard technologies to make it robust and future-safe.



Palette's brain is a rugged industrial PC that could be swapped in seconds if you every needed to . Which you wouldn't. Probably.

Palette has a generous 40GB hard drive, or you can save your shows anywhere on the network. You even get a shiny new USB key for show storage over sneaker net.

Oh, and you can even network Palette OS with your existing Strand 300 and 500 series consoles, so no one gets left behind!



91800 classicPalette Basic Memory Console with 100 channels, 16 submasters\*



91802, 91803, or 91804 classicPalette Memory Console with 150, 250 or 500 channels, 32 submasters\*

**Strand Control Systems**

**Ordering Information**

**Cat No Description**

91800	classicPalette Basic Memory Console with 100 channels, 16 submasters*
91803	classicPalette Memory Console with 150 channels, 32 submasters*
91804	classicPalette Memory Console with 250 channels, 32 submasters*
91805	classicPalette Memory Console with 500 channels, 32 submasters*

\* Includes Palette keyboard, dust cover, USB key, power cord and printed manual. Does not include monitor.

**Peripheral Equipment**

**Software**

67501	128 Channel Upgrade
67502	512 Channel Upgrade
67525	Designers Software on USB Key Drive

**Cables**

95090	DMX-512 Control Cable 25' (A5F to A5M)
96456	Ethernet cable 10' 10/100BaseT (RJ-45)
96459	Ethernet cable 25' 10/100BaseT (RJ-45)

**Accessories**

66216	Palette Keyboard (additional)
67528	USB Key Drive (additional)
95207	19 inch Flat Panel Monitor
95712	17 inch Touch Screen Flat Panel monitor
95480	Dust Cover, Classic Memory (additional)

**Pocket Palette Wireless Kits**

66149	Pocket Palette Networked Kit US (includes remote, controller switch, and (2) access ports)
66150	Pocket Palette Standalone Kit US (includes remote and wireless access point)

**Technical Specifications**

Supply Voltage	Universal power supply 90-240V
Approvals	ETL listed and CE marked

**Mechanical Data**

Construction	Galvanized sheet steel and aluminum extrusion Flame retardant ABS controls
Operating Temperature	0° to 40°C ambient (32° to 104°F)
Humidity	5% - 95% non-condensing
Storage Temperature	-40° to 70°C (-40° to 158°F)
Weight	26.8 lbs
Dimensions (HxWxH)	17.8 x 25.2 x 4.5"

**Connectivity**

- 1 Ethernet (RJ45) port, Strand ShowNet compatible
- 2 USB ports (rear)
- 1 USB port (front)
- 1 VGA monitor output (monitor not included)
- 1 PS2 Mouse port
- 1 PS2 Keyboard port
- 1 Serial port
- 2 DMX (XLR5) port

<b>Strand Lighting, Inc.</b>	<b>Strand Lighting Europe Limited</b>	<b>Strand Lighting Asia Limited</b>	<b>www.strandlighting.com</b>
6603 Darin Way Cypress, CA 90630 Tel: (714) 230-8200 Fax: (714) 899-0042	Unit 2 Royce Road, Fleming Way Crawley, West Sussex RH10 9JY Tel: + 44 (0) 1293 554010 Fax: + 44 (0) 1293 554019	20/F Delta House, 3 On Yiu Street Shatin, N.T. Hong Kong Tel: +852 2757 3033 Fax: +852 2757 1767	© Philips Group 2008 All rights reserved. The Company reserves the right to make any variation in design or construction to the equipment described. E&OE